UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,335	05/05/2005	Erich Reitinger	8074-25 (P18005 SB/gra)	2375
	7590 09/30/200 SOCIATES, LLC		EXAMINER	
130 WOODBU	RY ROAD		GRAVINI, STEPHEN MICHAEL	
WOODBURY, NY 11797			ART UNIT	PAPER NUMBER
			3743	
			MAIL DATE	DELIVERY MODE
			09/30/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
Office Action Summary		10/511,335	REITINGER, ERICH				
		Examiner	Art Unit				
		Stephen M. Gravini	3743				
	The MAILING DATE of this communication a	·					
Period fo	r Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
_	Responsive to communication(s) filed on <u>16</u>	: July 2000					
· · · · · · · · · · · · · · · · · · ·		his action is non-final.					
'=	/ 						
٥)ا	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
	closed in accordance with the practice and	Lx parte Quayre, 1000 c	.5. 11, 400 0.0. 210.				
Dispositi	on of Claims						
4)🖂	Claim(s) <u>1 and 3-8</u> is/are pending in the application.						
	4a) Of the above claim(s) <u>9-12,14-19 and 21</u> is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
6)⊠	Claim(s) <u>1 and 3-8</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and	d/or election requirement.					
Applicati	on Papers						
9) 🗌 .	The specification is objected to by the Exami	iner.					
10)🛛	The drawing(s) filed on <u>05 May 2005</u> is/are:	a)⊠ accepted or b) ob	ected to by the Examiner.				
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) 🔲	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119						
	 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 						
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
^ S	see the attached detailed Office action for a l	ist of the certified copies n	ot received.				
Attachmen	t(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date Notice of Informal Patent Application Paper No(s)/Mail Date 20090512. Other:							

DETAILED ACTION

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

Claims 1 and 3-5 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Melgaard et al. (US 2002/0135389). The face of that reference discloses each of the claimed features.

Claims 6-8 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Kim et al. (JP 200 310459). The face of that reference discloses each of the claimed features.

Response to Arguments

Applicant's arguments with respect to claims 1 3-8 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Each of the prior art references cited with this action disclose one or more elements of the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. Gravini whose telephone number is 571 272 4875. The examiner can normally be reached on normal weekday business hours (east coast time).

Application/Control Number: 10/511,335 Page 3

Art Unit: 3743

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth B. Rinehart can be reached on 571 272 4881. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Stephen M. Gravini/ Primary Examiner, Art Unit 3743